

## Premier Dryers, Vacs & LED Lighting ORDERING GUIDELINE

Dryers • Vacs •	LED Lighting		OKDEKING	GOIDELINE			
	Compa	any Name					
	Projec	t	Approx. Ship Date				
1) What type of appl	ication would you lik	ce?**					
Interior Wall Mount	Floor Mounted Arch ***	Exterior Wall Mount	Exterior Wall Mount w/ Legs	Other or Custom			
Qty	Qty	Qty	Qty	Qty			
*Interior Wall Mount = Bay Width							
Qty Qty Qty Qty Sty Qty Sty No							
E-Trunks	Air Knives	E-trunk brackets for an arch	E-trunk brackets for a wal mount	Drop down brackets			
		IOI all alcil	a wai iliount				
E-trunk Brackets or D	Prop Downs are recom	mended on all applica	ations using E-trunks o	or Air Knives.			
If no to the brackets of	do you want swivel bad	ck plates? ☐ Yes ☐	□No				
4) What type of nozzles would you like on your blower system?							
Standard Nozzles	Round Nozzles	Dual Nozzle	Straight Dual Nozzle	8" Nozzle Extensions			



## Premier Dryers, Vacs & LED Lighting **ORDERING GUIDELINE**

	Oscillation or Flip N	T		D 10 D 1			
Single Osc Nozzle	Double Osc Nozzle	Flip Nozzle	Single Osc Producer	Dual Osc Producers			
Qty	Qty	Qty	Qty	Qty			
L Air	driven —		Motor	driven —			
6) What color blow	vers do you want?	☐ Granite Gray ☐ E	Blue □ Red □ Blac	k 🗌 Yellow			
7) Do you want a fiberglass cover with graphics or silencer cones?   Yes  No							
Front	Back	Both	Silencer Cones				
TOUR DESIGN HENE		YOU DESIGN FERE	Qty				
*Graphics sent and	approved						
8) Do you want yo	ur system to be powe	der coated? ☐ Yes	☐ No If yes, color?	)			
*Do you need a n *Do you need por *What is your inc *What is your inc	starter panel?    Yes nain disconnect in the wer distribution in the p oming site voltage oming control voltage I requirements about y	panel?	No No DC				
	dryer timer? ☐ Yes er side ☐ Wall moun	•					



## Premier Dryers, Vacs & LED Lighting ORDERING GUIDELINE

				. –				
11) Do you want any Palm Dry units?								
		□ 2	motor or $\square$	3 motor,	☐ 110V or	- □ 220V		
		Hous	sing Color	☐ Blue [	☐ Green [	☐ Red ☐ Yellow ☐	□Gray □ Black	
	Hose Color ☐ Gray ☐ Blue ☐ Red ☐ Yellow							
		Do y	ou need a 2	4v relay?	☐ Yes ☐	□No		
12) Do yo	u want any	LED ligh	ting?****	☐ Yes ☐	] No			
Bendable 4' Tube	Qty	Bendable 6' Tube	Qty	Bendable 8' Tube	Qty	Semi Cut Wall Pack 45W or 70W	Full Cut Wall Pack ☐ 45W or ☐ 70W	
□ 5000k	RGBW	☐ 5000k	RGBW	☐ 5000k	RGBW			
-	-0-		-0-	-	-0	Qty	Qty	
RGBW - Color changing via app based bluetooth control 5000k - Not color changing								
13) Do you want any post covers?								
Color ☐ Blue ☐ Green ☐ Yellow ☐ Red								
☐ Gray ☐ Black ☐ Bronze ☐ Granite Gray								
What is the OD of the tube being covered?								
*Orders cannot be processed into production without the following information **Standard applications come in aluminum. Stainless is available per request. ***Standard nozzle clearance is 90" to ground ****All LED Lighting is 110-277v								
Notes								